

Power Blade Cable Cutter Head








For Almost Any Drill Heavy Duty Cable Cutter












Product Feature:

Power blade cable cutter head no need to mess with battery packs or special chargers, this tool works with the drill you already carry. The blade is sharper and the stability of feeding is stronger. The operation is convenient, light and smart. New way to cut cable that reduces fatigue, tool cost and space. *Drill not included.








Cutter Head Description(Warning: Match the drill equal or greater than 50 Nm torque)

Type	Weight	Max. die	Dimension	Suitable Scope
 DDQ30ASS	4.58kg	30mm	290*200*95mm	Cutting steel lock
 DDQ30T	3.15kg	30mm	210*140*90mm	 鐵管 iron pipe Cutting iron tube below 30mm
 DDQ55AS	5.1kg	55mm	340*210*95mm	 銅芯電纜 cable 鋁裝電纜 armored cable cutting Cu-Al armored cable below 55mm
 DDQ30AS	4.58kg	30mm	290*200*95mm	 銅芯電纜 cable 鋁裝電纜 armored cable 鋼芯鋁絞線 ACSR cutting ACSR below 30mm (400mm ²) or prestressed steel wire below 10mm

 DDQ100A	5.4kg	100mm	320*280*95mm	 <p>銅芯電纜 cable 鎧裝電纜 armored cable</p> <p>cutting Cu-Al armored cable below 100mm</p>
 DDQ100	4.0kg	100mm	280*260*90mm	 <p>銅芯電纜 cable 鎧裝電纜 armored cable</p> <p>cutting Cu-Al armored cable below 100mm</p>
 DDQ80A	5.3kg	80mm	310*260*95mm	 <p>銅芯電纜 cable 鎧裝電纜 armored cable</p> <p>Cutting armored cable below 80mm</p>
 DDQ80	3.9kg	80mm	260*260*90mm	 <p>銅芯電纜 cable 鎧裝電纜 armored cable</p> <p>Cutting armored cable below 80mm</p>
 DDQ56A	4.2kg	56mm	260*210*95mm	 <p>銅芯電纜 cable 鎧裝電纜 armored cable 海底電纜 seabed cable</p> <p>cutting reinforced armored cable or seabed cable below 56mm</p>
 DDQ56	3.0kg	56mm	220*220*90mm	 <p>銅芯電纜 cable 鎧裝電纜 armored cable 海底電纜 seabed cable</p> <p>cutting reinforced armored cable or seabed cable below 56mm</p>

 DDQ55A	DDQ55 A	DDQ55A	DDQ55A	 銅芯電纜 cable 鎧裝電纜 armored cable Dcutting Cu-Al armored cable below 55mm
 DDQ55	3.1kg	55mm	220*220*90mm	 銅芯電纜 cable 鎧裝電纜 armored cable cutting Cu-Al armored cable below 55mm
 DDQ45A	4.3kg	45mm	260*210*95mm	 銅芯鋁絞線 ACSR Cutting ACSR below 45mm(1440mm ²)
 DDQ45	2.8kg	45mm	220*220*90mm	 銅芯鋁絞線 ACSR Cutting ACSR below 45mm(1440mm ²)
 DDQ35A	4.2kg	35mm	270*200*95mm	 銅芯電纜 cable 鎧裝電纜 armored cable cutting Cu-Al armored cable below 35mm

 <p>DDQ35</p>	2.75kg	35mm	200*200*90mm	 <p>銅芯電纜 cable 鎧裝電纜 armored cable</p> <p>cutting Cu-Al armored cable below 35mm</p>
 <p>DDQ33A</p>	4.2kg	22mm	270*200*95mm	 <p>銅芯電纜 cable 鋼絲繩 steel wire ropes</p> <p>Cutting steel ropes below 22mm</p>
 <p>DDQ33</p>	2.77kg	22mm	200*200*90mm	 <p>銅芯電纜 cable 鋼絲繩 steel wire ropes</p> <p>Cutting steel wire ropes below 22mm</p>
 <p>DDQ30A</p>	4.2kg	30mm	270*200*95mm	 <p>電纜 reinforced steel bar 鋼絲繩 chain 鋼芯的絞線 ACSR 銅芯電纜 cable 鋼絞線 prestressed wire</p> <p>cutting ACSR below 30mm, Cu-Al cable ,Prestressed steel wire, reinforced steel bar or chain below 10mm</p>
 <p>DDQ30</p>	2.76kg	30mm	200*200*90	 <p>銅芯電纜 cable 鋼芯的絞線 ACSR 鋼絞線 prestressed wire 鋼絲繩 chain 電纜 reinforced steel bar</p> <p>cutting ACSR below 30mm, Cu-Al cable ,Prestressed steel wire, reinforced steel bar or chain below 10mm</p>

THE OPERATING PHOTO:

